


IL NUOVO CIMENTO

INDICI
DEL VOLUME XXIII - SERIE X
1962



Digitized by the Internet Archive
in 2024

INDICE SISTEMATICO PER NUMERI SUCCESSIVI DEL PERIODICO

N. 1 - 1° GENNAIO 1962

N. ABBATTISTA, M. BIASCO, S. MONGELLI, A. ROMANO, P. WALOSCHEK and E. PEREZ-FERREIRA - Interactions of π^- -mesons of kinetic energy 915 MeV with carbon nuclei	pag. 1
C. BOUCHIAT and G. FLAMAND - Final state interaction in proton-antiproton annihilation at rest	» 13
M. SATO - Particle acceleration and breakdown conditions in an alternating magnetic field	» 22
P. NYBORG - On classical theories of spinning particles	» 47
W. R. SHELDON and N. M. DULLER - Intensities of muons underground at large zenith angles	» 63
S. N. MILFORD and S. P. SHEN - Cosmic-ray and diffuse-matter information from extraterrestrial γ -rays	» 77
B. PETERS - The role of hyperons in extensive air showers and in other high-energy phenomena	» 88
O. B. YOUNG, T. P. WANG and P. C. HSIEH - Constancy of heavy primary cosmic rays	» 101
B. BHOWMIK, D. P. GOYAL and N. K. YAMDAGNI - Concerning fore-aft asymmetry in Λ^0 -decay	» 108
E. G. HARRIS - On a plasma sheath separating regions of oppositely directed magnetic field	» 115
Y. MURAI - The non-linear theory of Heisenberg in a five-dimensional space	» 122
H. A. BUCHDAHL - On the gravitational field equations arising from the square of the Gaussian curvature	» 141
P. D. NOERDLINGER - Elimination of the electromagnetic potentials	» 158
M. TAHERZADEH, S. A. MOSZKOWSKI and P. C. SOOD - On the binding energy of Λ -hyperons in nuclear matter	» 168
V. I. OGIEVETSKI and I. V. POLUBARINOV - On the meaning of gauge invariance	» 173
CHAN HONG-MO - New class of kinematic branch points for n -line graphs	» 181
C. EFTIMIU - On the photoproduction of pions on pions	» 186
L. LANZ - On the energy conservation for the motion of a radiating electron with particular reference to the hyperbolic motion	» 195
C. BERNARDINI, U. BIZZARRI, C. F. CORAZZA, G. GHIGO, R. QUERZOLI and B. TOUSCHEK - Progress report on AdA (Frascati storage ring)	» 202

Lettere alla Redazione:

A. BRACCESI and M. CECCARELLI - The italian cross radiotelescope - I	» 208
W. Z. OSBORNE and R. A. HOWARD - $^4\text{H}_\Lambda$ decay in flight	» 216
H. ÜBERALL - Neutrinos from stopped π and μ mesons	» 219

T. TAKABAYASI - Internal algebra of elementary particles and interactions	pag	222
H. RUND - Note on the Lagrangian formalism in relativistic mechanics	»	227
R. G. MOORHOUSE - N/D method with second sheet poles	»	233
C. A. LEVINSON, H. J. LIPKIN and S. MESHKOV - Experimental test of unitary symmetry	»	236
V. P. KENNEY, W. D. SHEPHARD and C. D. GALL - Further evidence for two di-pion resonances in single neutral pion production	»	245
S. FUBINI, M. GOURDIN and A. MARTIN - Some remarks about inelastic electron-deuteron scattering	»	249
G. GELATO, C. ROSATELLI and G. SINIGAGLIA - The italian cross radio-telescope - II	»	254
<i>Libri ricevuti e Recensioni</i>	»	258

N. 2 - 16 GENNAIO 1962

E. M. FRIEDLÄNDER - On the interpretation of double-maximum angular distributions in high-energy nucleon interactions	pag.	261
A. FERRO, P. MAZZETTI and G. MONTALENTI - Experiments on magnetic viscosity due to different solute atom pairs in iron alloys	»	280
H. HASEGAWA - Heavy primary cosmic rays over Japan	»	292
J. E. COUSINS and W. F. NASH - The momentum spectrum of μ -mesons at 37 m water equivalent underground	»	307
R. W. LARDNER - Analyticity of the general unitarity term	»	323
Y. KANO - Equations governing the propagation of second-order correlations in non-stationary electromagnetic fields	»	328
J. V. BEHR and R. HAGEDORN - Reabsorption of fast secondaries in nuclei	»	339
R. ANSARI - On the phase-space integral	»	355
J. C. POLKINGHORNE - Analyticity and unitarity	»	360
F. KASCHLUHN - On local but non-causal current operators in S -matrix theories	»	368
A. MINGUZZI and L. TAFFARA - Dispersion relations and stability conditions	»	386
V. AMAR, M. LUCCHINI and C. MARIONI - S -wave amplitude for the K - π system	»	392
A. P. BALACHANDRAN - The K -meson-pion scattering	»	402
S. K. BOSE - Decay rate of the neutral pion	»	408
R. L. SCHULT and R. H. CAPPS - K^- absorption and the Y_0^*	»	416
A. P. BALACHANDRAN - On the value of the axial vector renormalization in β -decay	»	428
G. GIACOMETTI, P. L. NORDIO e G. RIGATTI - Struttura elettronica e spettri del cloranile e della p-fenilendiammina	»	433

Lettere alla Redazione:

A. CAVALIERE - Relativistic limits to non-linear plasma oscillations	»	440
J. D. JACKSON and G. L. KANE - Final state enhancement factors	»	444
S. F. TUAN - Threshold mass numerologies and resonances in boson and baryon systems	»	448

P. T. MATTHEWS and A. SALAM - Baryon resonances as unitary multiplets	pag. 453
A. SALAM - Some consequences of the unitary symmetry	» 455
J. BAKOS and K. KÁNTOR - Light diffraction on slits in case of light sources of finite extension	» 458
<i>Libri ricevuti e Recensioni</i>	» 459

N. 3 - 1° FEBBRAIO 1962

D. ITÔ, S. RAGUSA and A. H. ZIMMERMAN - On the universality of weak interactions	pag. 461
B. N. SUBBA RAO - On the levels and transitions in ^{161}Dy	» 477
S. PARKER and S. PENMAN - Search for the decay $\mu^+ \rightarrow e^+ + e^- + e^+$	» 485
G. ALLEGRA - Il calcolo dell'intensità di diffrazione dei raggi X da parte di strutture denotanti disordine monodimensionale - III: Studio strutturale di due diverse modificazioni cristalline del TiCl_3 che presentano disordine monodimensionale	» 502
S. IWAO - Preliminary determination of Σ - Λ parity using polology	» 516
H. CORNILLE - Détermination de la matrice S dans le cas de potentiels tenseurs non nuls à l'origine	» 526
M. MARINARO and K. TANAKA - The pion-pion effect on low-energy pion-nucleon scattering	» 537
I. BIALYNICKI-BIRULA and W. M. FRANK - Convergence of perturbation expansions in meson theories without vacuum polarization	» 547
S. K. BOSE and R. E. MARSHAK - Pole approximation for nonleptonic and radiative hyperon decays with odd Σ - Λ relative parity	» 556
H. BACRY and J. MANDELBJÖRT - An approach to nucleon-antinucleon phenomena using the Bogoliubov transformation - I	» 564
G. FABRI and E. GERMAGNOLI - Positron annihilation in neutron-damaged anthracene	» 572
R. ACHARYA - Some Borchers-type theorems in quantum field theory	» 580
H. BANERJEE - The role of $\tau_{1/2}$ -gauge invariance in a nonlinear model of elementary particles	» 587
B. H. BRANDEN and J. W. MOFFAT - On the consistency of the coupled S and P -wave solutions in pion-pion scattering	» 598
H. EKSTEIN - Time reversal and superselection	» 606
L. FAVELLA and M. T. REINERI - Properties of the S -matrix as a function of the complex angular momentum for the many-channel case and for the Dirac equation	» 616
A. MARTIN - Some simple inequalities in scattering by complex potentials	» 641

Lettere alla Redazione:

E. G. BELTRAMETTI - A note on the reaction $\pi^+ + d \rightarrow p + p$	» 655
R. D. HILL - Pion resonant states	» 659
M. SCHIFF - Transfer of negative muons to gases dissolved in a hydrogen bubble chamber	» 661
<i>Libri ricevuti e Recensioni</i>	» 662

N. 4 - 16 FEBBRAIO 1962

A. CARRELLI and F. PORRECA - Experimental behaviour of the complex coefficient of viscosity with the temperature for the frequency of 50 Hz . . .	pag. 665
P. SINGER - Neutron emission following muon capture in heavy nuclei . . .	» 669
R. J. HOMER, W. K. MCFARLANE, A. W. O'DELL, E. J. SACHARIDIS and G. H. EATON - Angular dependence of polarization in p-p elastic scattering at 970 MeV	» 690
A. H. KLOTZ - Mie's electrodynamics without potentials	» 697
J. SACTON, M. J. BENISTON, D. H. DAVIS, B. D. JONES, B. SANJEEVAIAH and J. ZAKRZEWSKI - On the trapping of Λ^0 -hyperons following the absorptions at rest of Σ^- -hyperons in emulsion nuclei	» 702
J. R. GREEN and J. R. BARCUS - Electron-photon energies in extensive air showers	» 708
J. R. GREEN and DON D. LANIEWSKI - Zenith angle distribution of extensive air showers	» 724
G. B. VINGIANI, S. MONARO, R. A. RICCI and R. VAN LIESHOUT - γ radiation from the decay of the ^{95}Te ground state and from the ^{95}Te isomeric pair	» 729
R. FIESCHI and G. SPINOLO - Luminescence of KI under X-ray irradiation	» 738
H. EZAWA, K. KIKKAWA and H. UMEZAWA - Potential representation in quantum field theory	» 751

Lettere alla redazione:

V. S. VRKLJAN - Über die Energiedichte der Wellenbewegung in einer Gasmischung	» 778
E. MARQUIT - Influence of scanning speed on the efficiency of visual detection methods	» 781
S. IWAO - A comment on the Σ - Λ parity and resolution between the bound state model and the isobar model of Y_1^*	» 784
P. L. AUER and J. A. NATION - Magneto-compressional disturbance in a tepid plasma	» 786
<i>Libri ricevuti e Recensioni</i>	» 787

N. 5 - 1° MARZO 1962

L. BERTOCCHI, S. FUBINI, R. STROFFOLINI and M. TONIN - Some remarks on the relativistic two-body equation	pag. 789
M. FIDECARO, G. FINOCCHIARO and G. GIACOMELLI - Absorption of 10 and 13.5 GeV photons	» 800
H.-P. DUERR and W. HEISENBERG - The quantum numbers of the ω -meson	» 807
G. WANDERS - Analytic structure of the scattering matrix in the neutral pseudoscalar theory	» 817
M. JACOB, G. MAHOUX and R. OMNÈS - $\pi\pi$ interaction in final state processes	» 838

P. G. O. FREUND and A. FUJII - Inelastic Λ -p scattering	pag. 848
K. H. MICHEL - Statistical theory results on multiple particle production from π - N collisions at 3 GeV	» 852
F. PORRECA - On the effects of quartz crystals irradiation by means of electrons	» 859
G. C. SUMMERFIELD - Production of $\bar{\Lambda}\Lambda$ pairs in $\bar{N}N$ collisions	» 867
A. UEDA and C. B. A. MCCUSKER - Extensive air showers and the characteristics of high-energy nuclear interactions at and above 10^{14} eV	» 877
L. M. SCARFONE - Heavy-body potentials in the Lee model. - I	» 891

Lettere alla redazione:

G. KALMAN - Liouville-equation in relativistic dynamics	» 908
G. ALZETTA, N. MINNAJA and S. SANTUCCI - Piezoluminescence in zinc-sulphide phosphors	» 910
R. C. HWA and D. FELDMAN - Interpretation of the pion-hyperon resonances	» 914
A. KLEIN - The description of superfluid Fermi systems with anisotropic features	» 919
G. MANNINO, G. SETTI and S. DELLI SANTI - A study of the slowly varying component of the sun at 327 MHz	» 923
J. S. LEVINGER - Magnetic moments of hyperons.	» 927
P. MENOTTI - Subtraction constants in $\pi\pi \rightarrow N^*\bar{N}$ dispersion relation	» 931
L. STREIT - Die Gewichtsfunktion der Mandelstam-Darstellung am Rande ihres Trägers	» 934

<i>Libri ricevuti e Recensioni</i>	» 939
--	-------

N. 6 - 16 MARZO 1962

S. J. GOLDSACK, L. RIDDIFORD, B. TALLINI, B. R. FRENCH, W. W. NEALE, J. R. NORBURY, I. O. SKILLICORN, W. T. DAVIES, M. DERRICK, J. H. MULVEY and D. RADOJČIĆ - Meson production by 16 GeV/c π^- -mesons in hydrogen	pag. 941
A. BOTTINO, A. M. LONGONI and T. REGGE - Potential scattering for complex energy and angular momentum	» 954
F. P. G. VALCKX, E. S. GELSEMA and M. KRUISKAMP - The scattering of 87 MeV positive pions on carbon and oxygen	» 1005
G. S. HAWKINS - The nature of the red-shift	» 1021
B. BOSCO - Phenomenological approach to the electrodisintegration of the deuteron.	» 1028
G. BOATO, G. SCOLES and M. E. VALLAURI - Vapour pressure of isotopic solids by a steady flow method: argon between 72 °K and triple point	» 1041
A. H. KLOTZ - A note on the spin affine connection	» 1054
P. NYBORG - Thomas precession and classical theories of spinning particles	» 1057
D. I. BLOKHINTSEV - On elastic pion and nucleon scattering at high energies	» 1061
W. E. THIRRING - Models for compound particles	» 1064
E. CANOBBIO - L'effetto Čerenkov e l'effetto Doppler anomalo in plasmi con campo magnetico	» 1073

T. SÁNDOR, A. SOMOGYI and F. TELBISZ — On the methods generally used to compensate the atmospheric effects of the muon component of the cosmic radiation	pag. 1080
B. H. BRANSDEN and J. W. MOFFAT — Pion-pion scattering in the two-pion exchange approximation	» 1089
J. R. KLAUDER, H. LEUTWYLER and J. SCHAEER — γ_5 -ambiguity in the generally covariant spin affine connection.	» 1099
J. NILSSON — Forbidden weak interactions at very high energies	» 1102
M. M. BLOCK, E. FIORINI, T. KIKUCHI, G. GIACOMELLI and S. RATTI — The g -value for the β -decay of the negative muon	» 1114

Lettere alla Redazione:

U. FASOLI, C. MANDUCHI and G. ZANNONI — Measurement of the L/K capture ratio in ^{51}Cr decay.	» 1126
I. CIULLI, S. CIULLI and J. FISCHER — On the extrapolation of the experimental scattering amplitude to the spectral function region	» 1129
R. P. HUDSON and B. W. MANGUM — Spin-lattice relaxation in two rare earth double nitrates	» 1133
A. AGODI, G. PAPPALARDO, R. RICAMO and D. VINCIGUERRA — Fluctuations in nuclear reaction cross-sections	» 1136
D. BLANC, F. CAMBOU, D. DEVILLERS, H. RÈME, G. VEDRENNE and G. AMBROSINO — Reaction $^{27}\text{Si}(n, \alpha)^{28}\text{Mg}$ for 14.6 MeV neutrons	» 1140
J. PERETTI — Change of the Debye temperature of germanium with donor concentration	» 1144
N. CABIBBO and E. FERRARI — Quantum electrodynamics with Dirac monopoles	» 1147
T. TAKABAYASI — Internal algebra of baryons and mesons and the structure of strong interactions	» 1155
J. M. LÉVY-LEBLOND et M. GOURDIN — Diffusion avec échange de charge. K^+ -deutérium	» 1163
H. BANERJEE — Remark on the conservation of the axial vector current . .	» 1168
J. P. VIGIER — Mass of the Yang-Mills vector field	» 1171
G. DOMOKOS — On the asymptotic behaviour of the elastic $\pi\pi$ and πN^0 scattering amplitude	» 1175

<i>Libri ricevuti</i>	» 1178
---------------------------------	--------

<i>Indici del Volume XXIII, 1962</i>	» 1179
--	--------

INDICE ALFABETICO DEGLI AUTORI

La sigla L. si riferisce alle *Lettere alla Redazione*.

ABBATTISTA N., M. BIASCO, S. MONGELLI, A. ROMANO, P. WALOSCHEK and E. PEREZ-FERREIRA - Interactions of π^- -mesons of kinetic energy 915 MeV with carbon nuclei	pag. 1
ACHARYA R. - Some Borchers-type theorems in quantum field theory	» 580
AGODI A., G. PAPPALARDO, R. RICAMO and D. VINCIGUERRA - Fluctuations in nuclear reaction cross-sections (L.)	» 1136
ALLEGRA G. - Il calcolo dell'intensità di diffrazione dei raggi X da parte di strutture denotanti disordine monodimensionale. - Nota III: Studio strutturale di due diverse modificazioni cristalline del TiCl_3 che presentano disordine monodimensionale	» 502
ALZETTA G., N. MINNAJA and S. SANTUCCI - Piezoluminescence in zinc-sulphide phosphors (L.)	» 910
AMAR V., M. LUCCHINI and C. MARIONI - S-wave amplitude for the K- π system	» 392
AMBROSINO G. (vedi BLANC D.) (L.)	» 1140
ANSARI R. - On the phase-space integral	» 355
AUER P. L. and J. A. NATION - Magneto-compressional disturbance in a tepid plasma	» 786
BACHY H. and J. MANDELBROJT - An approach to nucleon-antinucleon phenomena using the Bogoliubov transformation. - I	» 564
BAKOS J. and K. KÁNTOR - Light diffraction on slits in case of light sources of finite extension (L.)	» 458
BALACHANDRAN A. P. - The K-meson-pion scattering	» 402
BALACHANDRAN A. P. - On the value of the axial vector renormalization in β -decay	» 428
BANERJEE H. - The role of $\tau'_{5/2}$ -gauge invariance in a nonlinear model of elementary particles	» 587
BANERJEE H. - Remark on the conservation of the axial vector current (L.)	» 1168
BARCUS J. R. (vedi GREEN J. R.)	» 708
BELTRAMETTI E. G. - A note on the reaction $\pi^+ + d \rightarrow p + p$ (L.)	» 655
BENISTON M. J. (vedi SACTON J.)	» 702
BERNARDINI C., U. BIZZARRI, G. F. CORAZZA, G. GHIGO, U. QUERZOLI and B. TOUSCHEK - Progress report on AdA (Frascati storage ring)	» 202
BERTOCCHI L., S. FUBINI, R. STROFFOLINI and M. TONIN - Some remarks on the relativistic two-body equation	» 789
BHOWMIK B., D. P. GOYAL and N. K. YAMDAGNI - Concerning fore-aft asymmetry in Λ^0 -decay	» 108
BIALYNIICKI-BIRULA I. and W. M. FRANK - Convergence of perturbation expansions in meson theories without vacuum polarization	» 547
BIASCO M. (vedi ABBATTISTA N.)	» 1
BIZZARRI U. (vedi BERNARDINI C.)	» 202

BLANC D., F. CAMBOU, D. DEVILLERS, H. RÈME, G. VEDRENNE and G. AMBROSINO - Reaction $^{28}\text{Si}(n, \alpha)^{25}\text{Mg}$ for 11.6 MeV neutrons (L.) . . .	pag. 1140
BLOCK M. M., E. FIORINI, T. KIKUCHI, G. GIACOMELLI and S. RATTI - The q -value for the β -decay of the negative muon	» 1114
BLOKHINTSEV D. I. - On elastic pion and nucleon scattering at high energies	» 1061
BOATO G., G. SCOLES and M. E. VALLAURI - Vapour pressure of isotopic solids by a steady flow method: argon between 72 °K and triple point	» 1041
BOSCO B. - Phenomenological approach to the electrodisintegration of the deuteron	» 1028
BOSE S. K. - Decay rate of the neutral pion	» 408
BOSE S. K. and R. E. MARSHAK - Pole approximation for nonleptonic and radiative hyperon decays with odd Σ - Λ relative parity	» 556
BOTTINO A., A. M. LONGONI and T. REGGE - Potential scattering for complex energy and angular momentum	» 954
BOUCHIAT C. and G. FLAMAND - Final state interaction in proton-antiproton annihilation at rest	» 13
BRACCESI A. and M. CECCARELLI - The Italian cross radiotelescope. - I: Design of the antenna	» 208
BRANDEN B. H. and J. W. MOFFAT - On the consistency of the cou- pled S and P -wave solutions in pion-pion scattering.	» 598
BRANDEN B. H. and J. W. MOFFAT - Pion-pion scattering in the two- pion exchange approximation	» 1089
BUCHDAHL H. A. - On the gravitational field equations arising from the Gaussian curvature	» 141
CABIBBO N. and E. FERRARI - Quantum electrodynamics with Dirac monopoles (L.)	» 1147
CAMBOU F. (vedi BLANC D.) (L.)	» 1140
CANOBBIO E. - L'effetto Čerenkov e l'effetto Doppler anomalo in plasm con campo magnetico	» 1073
CAPPS R. H. (vedi SCHULT R. L.)	» 416
CARRELLI A. and F. PORRECA - Experimental behaviour of the complex coefficient of viscosity with temperature for the frequency of 50 Hz	» 665
CAVALIERE A. - Relativistic limits to nonlinear plasma oscillations (L.)	» 440
CECCARELLI M. (vedi BRACCESI A.)	» 208
CHAN HONG-MO - New class of kinematic branch points for n -line graphs	» 181
CIULLI I., S. CIULLI and J. FISCHER - On the extrapolation of the experi- mental scattering amplitude to the spectral function region (L.)	» 1129
CIULLI S. (vedi CIULLI I.) (L.)	» 1129
CORAZZA G. F. (vedi BERNARDINI C.)	» 202
CORNILLE H. - Détermination de la matrice S dans le cas de potentiels tenseurs non nuls à l'origine.	» 526
COUSINS J. E. and W. F. NASH - The momentum spectrum of μ -mesons at 37 meters water equivalent underground.	» 307
DAVIES W. T. (vedi GOLDSACK S. J.)	» 941
DAVIS D. H. (vedi SACTON J.)	» 702
DELLI SANTI S. (vedi MANNINO G.) (L.)	» 923
DERRICK M. (vedi GOLDSACK S. J.)	» 941
DEVILLERS D. (vedi BLANC D.) (L.)	» 1140
DOMOKOS G. - On the asymptotic behaviour of the elastic $\pi\pi$ and πN scat- tering amplitude (L.)	» 1175
DUERR H. P. and W. HEISENBERG - The quantum numbers of the ω -meson	» 807

DULLER N. M. (vedi SHELDON W. R.)	pag. 63
EATON G. H. (vedi HOMER R. J.)	» 690
EFTIMIU C. — On the photoproduction of pions on pions	» 186
EKSTEIN H. — Time reversal and superselection	» 606
EZAWA H., K. KIKKAWA and H. UMEZAWA — Potential representation in quantum field theory	» 751
FABRI G. and E. GERMAGNOLI — Positron annihilation in neutron-damaged anthracene	» 572
FASOLI U., C. MANDUCHI and G. ZANNONI — Measurement of the L/K - capture ratio in ^{51}Cr decay (L.)	» 1126
FAVELLA L. and M. T. REINER — Properties of the S matrix as a function of the complex angular momentum for the many-channel case and for the Dirac equation	» 616
FELDMAN D. (vedi HWA R. C.) (L.)	» 914
FERRARI E. (vedi CABIBBO N.) (L.)	» 1147
FERRO A., P. MAZZETTI and G. MONTALENTI — Experiments on magnetic viscosity due to different solute atom pairs in iron alloys	» 280
FIDECARO M., G. FINOCCHIARO and G. GIACOMELLI — Absorption of 10 and 13.5 GeV photons	» 800
FIESCHI R. and G. SPINOLO — Luminescence of KI under X-ray irradiation	» 738
FINOCCHIARO G. (vedi FIDECARO M.)	» 800
FIORINI E. (vedi BLOCK M. M.)	» 1114
FISCHER J. (vedi CIULLI I.) (L.)	» 1129
FLAMAND G. (vedi BOUCHIAT C.)	» 13
FRANK W. M. (vedi BIALYNICKI-BIRULA I.)	» 547
FRENCH B. R. (vedi GOLDSACK S. J.)	» 941
FREUND P. G. O. and A. FUJII — Inelastic Λ -proton scattering	» 848
FRIEDLÄNDER E. M. — On the interpretation of double-maximum angular distributions in high-energy nuclear interactions	» 261
FUBINI S., M. GOURDIN and A. MARTIN — Some remarks about inelastic electron-deuteron scattering (L.)	» 249
FUBINI S. (vedi BERTOCCHI L.)	» 789
FUJII A. (vedi FREUND P.G.O.)	» 848
GALL C. D. (vedi KENNEY V. P.) (L.)	» 245
GELATO G., C. ROSATELLI and G. SINIGAGLIA — The Italian cross radio- telescope. - II: Preliminary design of the receiver (L.)	» 254
GELSEMA E. S. (vedi VALCKX F. P. G.)	» 1005
GERMAGNOLI E. (vedi FABRI G.)	» 572
GHIGO G. (vedi BERNARDINI C.)	» 202
GIACOMELLI G. (vedi BLOCK M.M.)	» 1114
GIACOMELLI G. (vedi FIDECARO M.)	» 800
GIACOMETTI G., P. L. NORDIO e G. RIGATTI — Struttura elettronica e spettri del cloranile e della p -fenilendiammina	» 433
GOLDSACK S. J., L. RIDDIFORD, B. TALLINI, B. R. FRENCH, W. W. NEALE, J. R. NORBURY, I. O. SKILLICORN, W. T. DAVIES, M. DERRICK, J. H. MULVEY and D. RADOJČIĆ — Meson production by 16 GeV/c π^- -mesons in hydrogen	» 941
GOURDIN M. (vedi FUBINI S.) (L.)	» 249
GOURDIN M. (vedi LÉVY-LEBLOND J. M.) (L.)	» 1163
GOYAL D. P. (vedi BHOWMIK B.)	» 108

GREEN J. R. and J. R. BARCUS — Electron-photon energies in extensive air showers	pag, 708
GREEN J. R. and D. D. LANIEWSKI — Zenith angle distribution of extensive air showers	» 724
HAGEDORN R. (vedi V. BEHR J.)	» 339
HARRIS E. G. — On a plasma sheath separating regions of oppositely directed magnetic field	» 115
HASEGAWA H. — Heavy primary cosmic rays over Japan	» 292
HAWKINS G. S. — The nature of the red-shift	» 1021
HEISENBERG W. (vedi DUERR H. P.)	» 807
HILL R. D. — Pion resonant states (L.)	» 659
HOMER R. J., W. K. MCFARLANE, A. W. O'DELL, E. J. SACHARIDIS and G. H. EATON — Angular dependence of polarization in p-p elastic scattering at 970 MeV	» 690
HOWARD R. A. (vedi OSBORNE W. Z.) (L.)	» 216
HSIEH P. C. (vedi YOUNG O. B.)	» 101
HUDSON R. P. and B. W. MANGUM — Spin-lattice relaxation in two rare-earth double nitrates (L.)	» 1133
HWA R. C. and D. FELDMAN — Interpretation of the pion-hyperon resonances (L.)	» 914
ITO D., S. RAGUSA and A. H. ZIMERMAN — On the universality of weak interactions	» 461
IWAO S. — Preliminary determination of Σ - Λ parity using polology . . .	» 516
IWAO S. — A comment on the Σ - Λ parity and resolution between the bound state model and the isobar model of Y_1^* (L.)	» 784
JACKSON J. D. and G. L. KANE — Final state enhancement factors (L.)	» 444
JACOB M., G. MAHOUX and R. OMNES — $\pi\pi$ interaction in final state processes	» 838
JONES B. D. (vedi SACTON J.)	» 702
KALMAN G. — Liouville equation in relativistic dynamics (L.)	» 908
KANE G. L. (vedi JACKSON J. D.) (L.)	» 444
KANO Y. — Equations governing the propagation of second-order correlations in non-stationary electromagnetic fields	» 328
KÁNTOR K. (vedi BAKOS J.)	» 458
KASCHLUN F. — On local but non-causal current operators in S -matrix theories	» 368
KENNEY V. P., W. D. SHEPARD and C. D. GALL — Further evidence for two di-pion resonances in single neutral pion production (L.)	» 245
KIKKAWA K. (vedi EZAWA H.)	» 751
KIKUCHI T. (vedi BLOCK M. M.)	» 1114
KLAUDER J. R., H. LEUTWYLER and J. SCHAEER — γ_5 -ambiguity in the generally covariant spin affine connection	» 1099
KLEIN A. — The description of superfluid Fermi systems with anisotropic features (L.)	» 919
KLOTZ A. H. — A note on spin affine connection	» 1054
KLOTZ A. H. — Mie's electrodynamics without potentials	» 697
KRUISKAMP M. (vedi VALCKX F. P. G.)	» 1005
LANIEWSKI D. D. (vedi GREEN J. R.)	» 724
LANZ L. — On the energy conservation for the motion of a radiating electron with particular reference to the hyperbolic motion	» 195
LARDNER R. W. — Analyticity of the general unitarity term	» 323
LEUTWYLER H. (vedi KLAUDER J. R.)	» 1099
LEVINGER J. S. — Magnetic moments of hyperons (L.)	» 927

LEVINSON C. A., H. J. LIPKIN and S. MESHKOV — Experimental tests of unitary symmetry (L.)	pag. 236
LÉVY-LEBLOND J. M. et M. GOURDIN — Diffusion avec échange de charge. K^+ -deutérium (L.)	» 1163
LIPKIN H. J. (vedi LEVINSON C. A.) (L.)	» 236
LONGONI A. M. (vedi BOTTINO A.)	» 954
LUCCHINI M. (vedi AMAR V.)	» 392
MAHOUX G. (vedi JACOB M.)	» 838
MANDELBROJT J. (vedi BACRY H.)	» 564
MANDUCHI C. (vedi FASOLI U.) (L.)	» 1126
MANGUM B. W. (vedi HUDSON R. P.) (L.)	» 1133
MANNINO G., G. SETTI and S. DELLI SANTI — A study of the slowly varying component of the sun at 327 MHz (L.)	» 923
MARINARO M. and K. TANAKA — The pion-pion effect on low-energy pion-nucleon scattering	» 537
MARIONI C. (vedi AMAR V.)	» 392
MARQUIT E. — Influence of scanning speed on the efficiency of visual detection methods (L.)	» 781
MARSHAK R. E. (vedi BOSE S. K.)	» 556
MARTIN A. Some simple inequalities in scattering by complex potentials	» 641
MARTIN A. (vedi FUBINI S.) (L.)	» 249
MATTHEWS P. T. and A. SALAM — Baryon resonances as unitary multiplets (L.)	» 453
MAZZETTI P. (vedi FERRO A.)	» 280
MCCUSKER C. B. A. (vedi UEDA A.)	» 877
McFARLANE W. K. (vedi HOMER R. J.)	» 690
MENOTTI P. — Subtraction constants in $\pi\pi \rightarrow N^*\bar{N}$ dispersion relation (L.)	» 931
MESHKOV S. (vedi LEVINSON C. A.) (L.)	» 236
MICHEL K. H. — Statistical theory results on multiple particle production from πN collisions at 3 GeV	» 852
MILFORD S. N. and S. P. SHEN — Cosmic-ray and diffuse-matter information from extraterrestrial γ rays	» 77
MINGUZZI A. and L. TAFFARA — Dispersion relations and stability conditions.	» 386
MINNAJA N. (vedi ALZETTA G.) (L.)	» 910
MOFFAT J. W. (vedi BRANDEN B. H.)	» 598
MOFFAT J. W. (vedi BRANDEN B. H.)	» 1089
MONARO S. (vedi VINGIANI G. B.)	» 729
MONGELLI S. (vedi ABBATTISTA N.)	» 1
MONTALENTI G. (vedi FERRO A.)	» 280
MOORHOUSE R. G. — N/D method with second sheet poles (L.)	» 233
MOSZKOWSKI S. A. (vedi TAHERZADEH M.)	» 168
MULVEY H. (vedi GOLDSACK S. J.)	» 941
MURAI Y. — Non-linear theory of Heisenberg in a five-dimensional space	» 122
NASH W. F. (vedi COUSINS J. E.)	» 307
NATION J. A. (vedi AUER P. L.)	» 786
NEALE W. W. (vedi GOLDSACK S. J.)	» 941
NILSSON J. — Forbidden weak interactions at very high energies	» 1102
NOERDLIGER P. D. — Elimination of the electromagnetic potentials	» 158
NORBURY J. R. (vedi GOLDSACK S. J.)	» 941
NORDIO P. L. (vedi GIACOMETTI G.)	» 433

NYBORG P. — On classical theories of spinning particles.	pag. 47
NYBORG P. Thomas precession and classical theories of spinning particles	» 1057
O'DELL A. W. (vedi HOMER R. J.)	» 690
OGIEVETSKI V. V. and I. V. POLUBARINOV — On the meaning of gauge invariance	» 173
OMNÈS R. (vedi JACOB M.)	» 838
OSBORNE W. Z. and R. A. HOWARD — ${}^4\text{H}_\Lambda$ decay in flight (L.)	» 216
PAPPALARDO G. (vedi AGODI D.) (L.)	» 1136
PARKER S. and S. PENMAN Search for the decay $\mu^+ \rightarrow e^+ + e^- + e^+$. . .	» 485
PENMAN S. (vedi PARKER S.)	» 485
PERETTI J. — Change of the Debye temperature of germanium with donor concentration (L.)	» 1144
PEREZ-FERREIRA E. (vedi ABBATTISTA N.)	» 1
PETERS B. The role of hyperons in extensive air showers and in other high-energy phenomena	» 88
POLKINGHORNE J. C. — Analyticity and unitarity.	» 360
POLUBARINOV I. V. (vedi OGIEVETSKI V. I.)	» 173
PORRECA F. — On the effects of quartz crystals irradiation by means of electrons.	» 859
PORRECA F. (vedi CARRELLI A.)	» 665
QUERZOLI U. (vedi BERNARDINI C.)	» 202
RADOJIČIĆ D. (vedi GOLDSACK S. J.)	» 941
RAGUSA S. (vedi ITO D.)	» 461
RATTI S. (vedi BLOCK M. M.)	» 1114
REGGE T. (vedi BOTTINO A.)	» 954
REINER M. T. (vedi FAVELLA L.)	» 616
RÈME H. (vedi BLANC D.) (L.)	» 1140
RICAMO R. (vedi AGODI A.) (L.)	» 1136
RICCI R. A. (vedi VINGIANI G. B.)	» 729
RIDDIFORD L. (vedi GOLDSACK S. J.)	» 941
RIGATTI G. (vedi GIACOMETTI G.)	» 433
ROMANO A. (vedi ABBATTISTA N.)	» 1
ROSATELLI C. (vedi GELATO G.) (L.)	» 254
RUND H. — Note on the Lagrangian formalism in relativistic mechanics (L.)	» 227
SACHARIDIS E. J. (vedi HOMER R. J.)	» 690
SACTON J., M. J. BENISTON, D. H. DAVIS, B. D. JONES, B. SANJEEVAIAH and J. ZAKRZEWSKI — On the trapping of Λ^0 -hyperons following the absorptions at rest of Σ^- -hyperons in emulsion nuclei	» 702
SALAM A. — Some consequences of the unitary symmetry (L.)	» 455
SALAM A. (vedi MATTHEWS P. T.) (L.)	» 453
SÁNDOR T., A. SOMOGYI and F. TELBISZ — The 27-day recurrence tendency in the muon intensity of cosmic radiation measured at 40 m w.e. underground	» 1080
SANJEEVAIAH B. (vedi SACTON J.)	» 702
SANTUCCI S. (vedi ALZETTA G.) (L.)	» 910
SATO M. — Particle acceleration and breakdown condition in an alternating magnetic field	» 22
SCARFONE L. M. — Many-body potentials in the Lee model - I	» 891
SCHAEER J. (vedi KLAUDER J. R.)	» 1099

SCHIFF M. — Transfer of negative muons to gases dissolved in a hydrogen bubble chamber	pag. 661
SCHULT R. L. and R. H. CAPPS — K^- absorption and the Y_0^*	416
SCOLES G. (vedi BOATO G.)	» 1041
SETTI G. (vedi MANNINO G.) (L.)	» 923
SHELDON W. R. and N. M. DULLER — Intensities of muons underground at large zenith angles	» 63
SHEN S. P. (vedi MILFORD S. N.)	» 77
SHEPHARD W. D. (vedi KENNEY V. P.) (L.)	» 245
SINGER P. — Neutron emission following muon capture in heavy nuclei	» 669
SINIGAGLIA G. (vedi GELATO G.) (L.)	» 254
SKILLICORN I. O. (vedi GOLDSACK S. J.)	» 941
SOMOGYI A. (vedi SÁNDOR T.)	» 1080
SOOD P. C. (vedi TAHETZADEH M.)	» 168
SPINOLO G. (vedi FIESCHI R.)	» 738
STREIT L. — Die Gewichtsfunktion der Mandelstam-Darstellung am Rande ihres Trägers (L.)	» 934
STROFFOLINI R. (vedi BERTOCCHI L.)	» 789
SUBBA RAO B. N. — On the levels and transitions in ^{161}Dy	» 477
SUMMERFIELD G. C. — Production of $\bar{\Lambda}\Lambda$ pairs in $\bar{N}N$ collisions	» 867
TAFFARA L. (vedi MINGUZZI A.)	» 386
TAHERAZADEH M., S. A. MOSZKOWSKI and P. C. SOOD — On the binding energy of Λ -hyperons in nuclear matter	» 168
TAKABAYASI T. — Internal algebra of elementary particles and interactions (L.)	» 222
TAKABAYASI T. — Internal algebra of baryons and mesons and the structure of strong interactions (L.)	» 1155
TALLINI B. (vedi GOLDSACK S. J.)	» 941
TANAKA K. (vedi MARINARO M.)	» 537
TELBISZ F. (vedi SÁNDOR T.)	» 1080
THIRRING W. E. — Models for compound particles	» 1064
TONIN M. (vedi BERTOCCHI L.)	» 789
TOUSCHEK B. (vedi BERNARDINI C.)	» 202
TUAN S. F. — Threshold mass numerologies and resonances in boson and baryon systems (L.)	» 448
ÜBERALL H. — Neutrinos from stopped π and μ mesons	» 219
UEDA A. and C. B. A. McCUSKER — Extensive air showers and the characteristic of high-energy nuclear interactions at and above 10^{14} eV	» 877
UMEZAWA H. (vedi EZAWA H.)	» 751
VALCKX F. P. G., E. S. GELSEMA and M. KRUISKAMP — The scattering of 87 MeV positive pions on carbon and oxygen	» 1005
VALLAURI M. E. (vedi BOATO G.)	» 1041
VAN LIESHOUT R. (vedi VINGIANI G. B.)	» 729
VEDRENNE G. (vedi BLANC D.) (L.)	» 1140
VIGIER J. P. — Mass of the Yang-Mills vector fields (L.)	» 1171
VINCIGUERRA D. (vedi AGODI A.) (L.)	» 1136
VINGIANI G. B., S. MONARO, R. A. RICCI and R. VAN LIESHOUT — γ radiation from the decay of the ^{95}Te ground state and from the ^{95}Te isomeric pair	» 720
V. BEHR J. and R. HAGEDORN — Reabsorption of fast secondaries in nuclei	» 339
VRKLJAN V. S. — Über die Energiedichte der Wellenbewegung in einer Gasmischung (L.)	» 778

WALOSCHEK P. (vedi ABBATTISTA N.)	pag.	1
WANDERS G. Analytic structure of the scattering matrix in the neutral pseudoscalar theory.	»	817
WANG T. P. (vedi YOUNG O. B.)	»	101
YAMDAGNI N. K. (vedi BHOWMIK B.)	»	108
YOUNG O. B., T. P. WANG and P. C. HSIEH - Constancy of heavy primary cosmic rays	»	101
ZAKRZEWSKI J. (vedi SACTON J.)	»	702
ZANNONI G. (vedi FASOLI U.) (L.)	»	1126
ZIMERMAN A. H. (vedi ITO D.)	»	461

INDICE ANALITICO PER MATERIE

APPARATI - STRUMENTI - TECNICHE SPERIMENTALI

Efficiency of visual detection methods (Influence of scanning speed on the) (L.), <i>E. Marquit</i>	pag.	781
Italian cross radiotelescope (The). - I: Design of the antenna, <i>A. Brac-</i> <i>cesi</i> and <i>M. Ceccarelli</i>	»	208
Italian cross radiotelescope (The). - II: Preliminary design of the receiver (L.), <i>G. Gelato</i> , <i>C. Rosatelli</i> and <i>G. Sinigaglia</i>	»	254
Progress report on AdA (Frascati storage ring), <i>O. Bernardini</i> , <i>L. Biz-</i> <i>zarri</i> , <i>G. F. Corazza</i> , <i>G. Ghigo</i> , <i>U. Querzoli</i> and <i>B. Touschek</i>	»	202

ASTROFISICA

Cosmic-ray and diffuse-matter information from extraterrestrial gamma rays, <i>S. N. Milford</i> and <i>S. P. Shen</i>	»	77
Slowly varying component of the sun at 327 MHz (A study of the) (L.), <i>G. Mannino</i> , <i>G. Setti</i> and <i>S. Delli Santi</i>	»	923

ASTROFISICA E COSMOLOGIA

Nature of the red shift (The), <i>G. S. Hawkins</i>	»	1021
---	---	------

CAMPI GRAVITAZIONALI

Gravitational field equations arising from the square of the Gaussian curvature (On the), <i>H. A. Buchdahl</i>	»	141
--	---	-----

ELETTRODINAMICA E TEORIA DEI CAMPI

Absorption of 10 and 13.5 GeV photons, <i>M. Fidecaro, G. Finocchiaro and G. Giacomelli</i>	pag. 800
Analyticity and unitarity, <i>J. C. Polkinghorne</i>	» 360
Analyticity of the general unitarity term, <i>R. W. Lardner</i>	» 323
Analytic structure of the scattering matrix in the neutral pseudoscalar theory, <i>G. Wanders</i>	» 817
Approach to nucleon-antinucleon phenomena using the Bogoliubov transformation (An) I, <i>H. Bacry and J. Mandelbrojt</i>	» 564
Borchers-type theorems in quantum field theory (Some), <i>R. Acharya</i>	» 580
Classical theories of spinning particles (On), <i>P. Nyborg</i>	» 47
Conservation of the axial vector current (Remark on) (L.), <i>B. Banerjee</i>	» 1160
Convergence of perturbation expansions in meson theories without vacuum polarization, <i>I. Bialynicki-Birula and W. M. Frank</i>	» 547
Dispersion relations and stability conditions, <i>A. Minguzzi and L. Taffara</i>	» 386
Extrapolation of the experimental scattering amplitude to the spectral function region (L.), <i>I. Ciulli, S. Ciulli and J. Fischer</i>	» 1129
γ_5 -ambiguity in the generally covariant spin affine connection, <i>J. R. Klauder, H. Leutwyler and J. Schaer</i>	» 1099
Gewichtsfunktion der Mandelstam-Darstellung am Rande ihres Trägers (Die) (L.), <i>L. Streit</i>	» 934
Heavy-body potentials in the Lee model. - I, <i>L. M. Scarfone</i>	» 891
Internal algebra of baryons and mesons and the structure of strong interactions (L.), <i>T. Takabayasi</i>	» 1155
Local but non-causal current operators in <i>S</i> -matrix theories (On), <i>F. Kaschlun</i>	» 368
Mass of the Yang-Mills vector fields (L.), <i>J. P. Vigiér</i>	» 1171
Meaning of gauge invariance (On the), <i>V. V. Ogievetski and I. V. Polubarinov</i>	» 173
Models for compound particles, <i>W. E. Thirring</i>	» 1064
<i>N/D</i> method with second sheet poles (L.), <i>R. G. Moorhouse</i>	» 233
New class of kinematic branch points for <i>n</i> -line graphs, <i>Chan Hong-Mo</i>	» 181
Non-linear theory of Heisenberg in a five-dimensional space, <i>Y. Murai</i>	» 122
Quantum electrodynamics with Dirac monopoles (L.), <i>N. Cabibbo and E. Ferrari</i>	» 1147
Potential representation in quantum field theory, <i>H. Ezawa, K. Kikkawa and H. Umezawa</i>	» 751
Potential scattering for complex energy and angular momentum, <i>A. Bottino, A. M. Longoni and T. Regge</i>	» 954
Spin affine connection (A note on), <i>A. H. Klotz</i>	» 1054
Subtraction constants in $\pi\text{-}\pi \rightarrow N^*\bar{N}^*$ dispersion relation (L.), <i>P. Menotti</i>	» 931
Thomas precession and classical theories of spinning particles, <i>P. Nyborg</i>	» 1057
Universality of weak interactions (On the), <i>D. Ito, S. Ragusa and A. H. Zimerman</i>	» 461
Value of the axial vector renormalization in β -decay (On the), <i>A. P. Balachandran</i>	» 428

ELETTROMAGNETISMO

Energy conservation for the motion of a radiating electron with particular reference to the hyperbolic motion (On the), <i>L. Lanzi</i> . . .	pag.	195
Equations governing the propagation of second-order correlations in non-stationary electromagnetic fields, <i>Y. Kano</i>	»	328
Mie's electrodynamics without potentials, <i>A. H. Klotz</i>	»	697

ELETTROMAGNETISMO ED OTTICA

Light diffraction on slits in case of light sources of finite extension (L.), <i>J. Bakos</i> and <i>K. Kántor</i>	»	458
--	---	-----

IDRO E MAGNETODINAMICA

Effetto Čerenkov e l'effetto Doppler anomalo in plasmi con campo magnetico (L'), <i>E. Canobbio</i>	»	1073
Magneto-compressional disturbance in a tepid plasma, <i>P. L. Auer</i> and <i>J. A. Nation</i>	»	786
Particle acceleration and breakdown condition in an alternating magnetic field, <i>M. Sato</i>	»	22
Plasma sheath separating regions of oppositely directed magnetic field (On a), <i>E. G. Harris</i>	»	115
Relativistic limits to non-linear plasma oscillations (L.), <i>A. Cavaliere</i>	»	440

IPERFRAMMENTI

Binding energy of Λ -hyperons in nuclear matter (On the), <i>M. Taherazadeh</i> , <i>S. A. Moszkowski</i> and <i>P. C. Sood</i>	»	168
$^4\text{H}_\Lambda$ decay in flight (L.), <i>W. Z. Osborne</i> and <i>R. A. Howard</i>	»	216

IPERONI ED IPERFRAMMENTI

Fore-aft asymmetry in Λ^0 decay (Concerning), <i>B. Bhowmik</i> , <i>D. P. Goyal</i> and <i>N. K. Yamdagni</i>	»	108
Hyperons in extensive air showers and in other high-energy phenomena (The role of), <i>B. Peters</i>	»	88
Inelastic lambda-proton scattering, <i>P. G. O. Freund</i> and <i>A. Fujii</i>	»	848
Magnetic moments of hyperons (L.), <i>J. S. Levinger</i>	»	927
Pion-hyperon resonances (Interpretation of the) (L.), <i>R. C. Hwa</i> and <i>D. Feldman</i>	»	914
Pole approximation for nonleptonic and radiative hyperon decays with odd Σ - Λ relative parity, <i>S. K. Bose</i> and <i>R. E. Marshak</i>	»	556

Preliminary determination of Σ - Λ parity using polology, <i>S. Iwao</i> . . .	pag. 516
Σ - Λ parity and resolution between the bound state model and the isobar model of Y_1^* (A comment on the) (L.), <i>S. Iwao</i>	" 781
Trapping of Λ^0 -hyperons following the absorptions at rest of Σ^- -hyperons in emulsion nuclei (On the), <i>J. Sacton, M. J. Beniston, D. H. Davis, B. D. Jones, B. Sanjeevaiah and J. Zakrzewski</i> . . .	" 702

LIQUIDI E SOLIDI

Change of the Debye temperature of germanium with donor concentration (L.), <i>J. Peretti</i>	" 1144
Effects of quartz crystals irradiation by means of electrons (On the), <i>F. Porreca</i>	" 859
Experimental behaviour of the complex coefficient of viscosity with temperature for the frequency of 50 Hz, <i>A. Carrelli and F. Porreca</i> . .	" 665
Intensità di diffrazione dei raggi X da parte di strutture denotanti disordine monodimensionale (Il calcolo dell'). - Nota III: Studio strutturale di due diverse modificazioni cristalline del $TiCl_3$ che presentano disordine monodimensionale, <i>G. Allegra</i>	" 502
Luminescence of KI under X-ray irradiation, <i>R. Fieschi and G. Spinolo</i> .	" 738
Magnetic viscosity due to different solute atom pairs in iron alloys (Experiments on), <i>A. Ferro, P. Mezzetti and G. Montalenti</i>	" 280
Piezoluminescence in zinc-sulphide phosphors (L.), <i>G. Alzetta, N. Minajaja and S. Santucci</i>	" 190
Positron annihilation in neutron-damaged anthracene, <i>G. Fabri and E. Germagnoli</i>	" 572
Spin-lattice relaxation in two rare-earth double nitrates (L.), <i>R. P. Hudson and B. W. Mangum</i>	" 1133
Vapour pressure of isotopic solids by a steady flow method: argon between 72 °K and triple point, <i>G. Boato, G. Scoles and M. E. Vallauri</i> .	" 1041

LIQUIDI E SOLIDI - MOLECOLE

Energiedichte der Wellenbewegung in einer Gasmischung (Über die) (L.), <i>V. S. Vrkljan</i>	" 778
Struttura elettronica e spettri del cloranile e della p-fenilendiammina, <i>G. Giacometti, P. L. Nordio and G. Rigatti</i>	" 433

MECCANICA QUANTISTICA

Elimination of the electromagnetic potentials, <i>P. D. Noerdlinger</i> . . .	" 158
Inequalities in scattering by complex potentials (Some simple), <i>A. Martin</i> .	" 641
Matrice S dans le cas de potentiels tenseurs non nuls à l'origine (Détermination de la), <i>H. Cornille</i>	" 526
Properties of the S matrix as a function of the complex angular momentum for the many channel case and for the Dirac equation, <i>L. Favella and M. T. Reineri</i>	" 616

Relativistic two-body equation (Some remarks on the), <i>L. Bertocchi</i> ,	
<i>S. Fubini</i> , <i>R. Stroffolini</i> and <i>M. Tonin</i>	pag. 789
Superfluid Fermi systems with anisotropic features (L.) (The description	
of), <i>A. Klein</i>	» 919
Time reversal and superselection, <i>H. Ekstein</i>	» 606

MECCANICA STATISTICA

Liouville equation in relativistic dynamics (L.), <i>G. Kalman</i>	» 908
--	-------

NEUTRONICA

Positron annihilation in neutron-damaged anthracene, <i>G. Fabri</i> and	
<i>E. Germagnoli</i>	» 572

NUCLEI

Gamma radiation from the decay of the ^{95}Te ground state and from	
the ^{93}Te isomeric pair, <i>G. B. Vingiani</i> , <i>S. Monaro</i> , <i>R. A. Ricci</i> and	
<i>R. van Lieshout</i>	» 729
Levels and transitions in ^{161}Dy (On the), <i>B. N. Subba Rao</i>	» 477
Measurement of the L/K -capture ratio in ^{51}Cr decay (L.), <i>U. Fasoli</i> ,	
<i>C. Manduchi</i> and <i>G. Zannoni</i>	» 1126

NUCLEI - FISICA NUCLEARE

Fluctuations in nuclear reaction cross-sections (L.), <i>A. Agodi</i> , <i>G. Pappalardo</i> ,	
<i>R. Ricamo</i> and <i>D. Vinciguerra</i>	» 1136
Reaction $^{28}\text{Si}(n, \alpha)^{25}\text{Mg}$ for 11.6 MeV neutrons (L.), <i>D. Blanc</i> , <i>F. Cambou</i> ,	
<i>D. Devillers</i> , <i>H. Rème</i> , <i>G. Vedrenne</i> and <i>G. Ambrosino</i>	» 1140

PARTICELLE

Angular dependence of polarization in p-p elastic scattering at 970 MeV,	
<i>R. J. Homer</i> , <i>W. K. McFarlane</i> , <i>A. W. O'Dell</i> , <i>E. J. Sacharidis</i> and	
<i>G. H. Eaton</i>	» 690
Forbidden weak interactions at very high energies, <i>J. Nilsson</i>	» 1102
Interpretation of double-maximum angular distributions in high-energy	
nuclear interactions (On the), <i>E. M. Friedländer</i>	» 261
Phase-space integral (On the), <i>R. Ansari</i>	» 355
Phenomenological approach to the electrodisintegration of the deuteron,	
<i>B. Bosco</i>	» 1028
Reabsorption of fast secondaries in nuclei, <i>J. V. Behr</i> and <i>R. Hagedorn</i>	» 339

PARTICELLE ELEMENTARI

Baryon resonances as unitary multiplets (L.), <i>P. T. Matthews</i> and <i>A. Salam</i>	pag.	453
Decay $\mu^+ \rightarrow e^+ + e^- + e^+$ (Search for the), <i>S. Parker</i> and <i>S. Penman</i>	»	485
Elastic pion and nucleon scattering at high energies (On), <i>D. I. Blokhintsev</i>	»	1061
Final state enhancement factors (L.), <i>J. D. Jackson</i> and <i>G. L. Kane</i>	»	444
Final state interaction in proton-antiproton annihilation at rest, <i>C. Bouchiat</i> and <i>G. Flamand</i>	»	13
Inelastic electron-deuteron scattering (Some remarks about) (L.), <i>S. Fubini</i> , <i>M. Gourdin</i> and <i>A. Martin</i>	»	249
Internal algebra of elementary particles and interactions (L.), <i>T. Takabayasi</i>	»	222
K-meson-pion scattering (The), <i>A. P. Balachandran</i>	»	402
Production of $\bar{\Lambda}\Lambda$ pairs in $\bar{N}N$ collisions, <i>G. C. Summerfield</i>	»	867
Quantum numbers of the ω -meson (The), <i>H. P. Duerr</i> and <i>W. Heisenberg</i>	»	807
Statistical theory results on multiple particle production from π - N collisions at 3 GeV, <i>K. H. Michel</i>	»	852
S-wave amplitude for the K- π system, <i>V. Amar</i> , <i>M. Lucchini</i> and <i>C. Marioni</i>	»	392
Threshold mass numerologies and resonances in boson and baryon systems (L.), <i>S. F. Tuan</i>	»	448
$\tau\gamma^5$ -gauge invariance in a nonlinear model of elementary particles (The role of), <i>H. Banerjee</i>	»	587
Unitary symmetry (Experimental tests of) (L.), <i>C. A. Levinson</i> , <i>H. J. Lipkin</i> and <i>S. Meshkov</i>	»	236
Unitary symmetry (Some consequences of the) (L.), <i>A. Salam</i>	»	455

PARTICELLE ELEMENTARI - MESONI LEGGERI

Asymptotic behaviour of the elastic $\pi\pi$ and πN scattering amplitude (On the) (L.), <i>G. Domokos</i>	»	1176
Consistency of the coupled S and P -wave solutions in pion-pion scattering (On the) <i>B. H. Bransden</i> and <i>J. W. Moffat</i>	»	598
Decay rate of the neutral pion, <i>S. K. Bose</i>	»	408
Interactions of π^- -mesons of kinetic energy 915 MeV with carbon nuclei, <i>N. Abbattista</i> , <i>M. Biasco</i> , <i>S. Mongelli</i> , <i>A. Romano</i> , <i>P. Waloschek</i> and <i>E. Perez-Ferreira</i>	»	1
Meson production by 16 GeV/c π^- -mesons in hydrogen, <i>S. J. Goldsack</i> , <i>L. Riddiford</i> , <i>B. Tallini</i> , <i>B. R. French</i> , <i>W. W. Neale</i> , <i>J. R. Norbury</i> , <i>I. O. Skillicorn</i> , <i>W. T. Davies</i> , <i>M. Derrick</i> , <i>J. H. Mulvey</i> and <i>D. Radojićić</i>	»	941
Neutrinos from stopped π and μ mesons, <i>H. Überall</i>	»	219
Neutron emission following muon capture in heavy nuclei, <i>P. Singer</i>	»	669
Photoproduction of pions on pions (On the), <i>C. Eftimiu</i>	»	186
Pion-pion effect on low-energy pion-nucleon scattering (The), <i>M. Marinaro</i> and <i>K. Tanaka</i>	»	537

Pion-pion scattering in the two-pion exchange approximation, <i>B. H. Bransden and J. W. Moffat</i>	pag. 1089
Pion resonant states (L.), <i>R. D. Hill</i>	» 659
$\pi\pi$ interaction in final state processes, <i>M. Jacob, G. Mahoux and R. Omnes</i>	» 838
Reaction $\pi^+ + d \rightarrow p + p$ (A note on the) (L.), <i>E. G. Beltrametti</i>	» 655
ρ -value for the beta-decay of the negative muon (The), <i>M. M. Block, E. Fiorini, T. Kikuchi, G. Giacomelli and S. Ratti</i>	» 1114
Scattering of 87 MeV positive pions on carbon and oxygen (The), <i>F. P. G. Valckx, E. S. Gelsema and M. Kruiskamp</i>	» 1005
Transfer of negative muons to gases dissolved in a hydrogen bubble chamber, <i>M. Schiff</i>	» 661
Two di-pion resonances in single neutral pion production (Further evidence for), <i>V. P. Kenney, W. D. Shephard and C. D. Gall</i>	» 245

PARTICELLE ELEMENTARI - MESONI PESANTI

Diffusion avec échange de charge. K^+ -deutérium (L.), <i>J. M. Lévy-Leblond and M. Gourdin</i>	» 1163
K^- absorption and the Y_0^* , <i>R. L. Schult and R. H. Capps</i>	» 416

RADIAZIONE COSMICA

Primary cosmic rays (Constancy of heavy), <i>O. B. Young, T. P. Wang and P. C. Hsieh</i>	» 101
Cosmic-ray and diffuse-matter information from extraterrestrial gamma rays, <i>S. N. Milford and S. P. Shen</i>	» 77
Electron-photon energies in extensive air showers, <i>J. R. Green and J. R. Barcus</i>	» 708
Extensive air showers and the characteristic of high-energy nuclear interactions at and above 10^{14} eV, <i>A. Ueda and C. B. A. McCusker</i>	» 877
Heavy primary cosmic rays over Japan, <i>H. Hasegawa</i>	» 292
Intensities of muons underground at large zenith angles, <i>W. R. Sheldon and N. M. Duller</i>	» 63
Interpretation of double-maximum angular distributions in high-energy nuclear interactions (On the), <i>E. M. Friedländer</i>	» 261
Momentum spectrum of μ -mesons at 37 metres water equivalent underground, <i>J. E. Cousins and W. F. Nash</i>	» 307
27-day recurrence tendency in the muon intensity of cosmic radiation measured at 40 m w.e. underground (The), <i>T. Sándor, A. Somogyi and F. Telbisz</i>	» 1080
Zenith angle distribution of extensive air showers, <i>J. R. Green and V. D. Laniewski</i>	» 724

RELATIVITÀ

Lagrangian formalism in relativistic mechanics (Note on the) (L.), <i>H. Rund</i>	» 227
---	-------

INDICE DELLE RECENSIONI

<i>Sensory Communication-Contributions to the Symposium on Principles of Sensory Communication, 1959, Edicott House, M.I.T., edited by W. A.</i>	
ROSENBLITH	pag. 258
PIVOVONSKY and M. R. NAGEL - <i>Tables of Blackbody Radiation Functions</i>	» 459
M. A. LEONTOVICH - <i>Plasma Physics and the Problem of Controlled Thermo- nuclear Reactions</i>	» 662
O. RAIMES - <i>The Wave Mechanics of Electrons in Metals</i>	» 662
V. M. BLANCO and S. W. MCCUSKEY - <i>Basic Physics of the Solar System</i>	» 664
<i>Relations de dispersion et particules élémentaires</i>	» 787
A. LANDÉ - <i>From Dualism to Unity in Quantum Physics</i>	» 939

Fine del Volume XXIII, Serie X, 1962

PROPRIETÀ LETTERARIA RISERVATA

Direttore responsabile: G. BERNARDINI

Tipografia Compositori - Bologna

Questo fascicolo è stato licenziato dai torchi il 26-III-1962